



PIG® Toilet Mat with Adhesive Backing

GRP7003 Standard, 6 pads

Our adhesive-backed toilet mats absorb drips and splashes of water or urine to keep the floor around toilet bases dry and odor free.

- Toilet Mat fits around toilet base to provide maximum drip/splash coverage
- Permanently infused antimicrobial technology prevents the growth of odor-causing bacteria and mold on the mats to keep restrooms cleaner and fresher smelling
- Proprietary, full-coverage adhesive backing keeps mats in place underfoot with no shifting, curling or flipping up to stop slip and trip hazards; peels up easily
- Mats stick to your floor and won't budge while you clean them; simply mop them with the rest of the floor
- Durable, Hi-Trac™ Surface stands up to daily cleaning and restroom traffic
- EFM™ Absorbent Technology captures urine and water on contact, wicks them away and dries out quickly
- Impermeable backing layers stop liquid pass-through to prevent stains and grout damage
- Tested and certified by the National Floor Safety Institute (NFSI) as a high-traction surface which can reduce slip and fall claims by as much as 90% when used as part of a Floor Safety Program
- Adhesive-backed TimeStrip® Indicators (sold separately) can be applied to your Restroom Mats for easy monitoring of service life; choose 30-day or 90-day indicators
- Release paper on the bottom of the mat should be removed prior to installation
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Item#	Description	Dimensions	Weight
GRP7003-BK	Black,	18" W x 15.5" L	1.39 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP7003-BK	Black,	45.7cm W x 39.4cm L	.6 kg

Specifications

Antimicrobial	Yes
Traffic	Heavy Foot Traffic; Carts & Equipment
Backing Material	Adhesive-Backed
Indoor/Outdoor	Indoor Use
Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Water; Urine
Size	Standard
Dimensions	18" W x 15.5" L
Mat Weight	Mediumweight
Brand	PIG
Perforated	No
Sold as	6 pads per box
Weight	1.39 lbs.
New Pig Patent	Pending
# per Pallet	150
Composition	Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 291

Metric Equivalent

Dimensions	45.7cm W x 39.4cm L
Weight	.6 kg

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[New Pig Adhesive-Backed Mat Notice](#)

[PIG Adhesive-Backed Mats ADA Compliance](#)

[PIG® Grippy® Floor Mats](#)

[29 CFR 1910.22\(a\)\(2\)](#)

Disclaimers

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

Color Variation Statement

It is normal for top layer materials to show minor variations in color between production runs. This is particularly true for the grades of materials used in consumable or disposable products such as our adhesive-backed mats. New Pig makes every effort to achieve consistent color, but some variance is possible. Perceived differences in color may also result from mat layout orientation or uneven traffic wear patterns.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com