

PIG® Grippy® Adhesive-Backed Checkered Entrance Mat

GRP923X10 3' x 10', Extra Absorbency, 1 roll

Keep floors safe and capture dirt and liquid at your door with the world's first adhesive-backed mat our carpeted absorbent runner in Checkered texture comes in multiple colors and sizes. Make the switch to the mat that sticks!

- Adhesive-backed mat stays exactly where you put it with no bunching, shifting, rippling, curling or flipping over — no straightening, no hassles
- P53[™] adhesive backing delivers the ideal balance of stick-and-release performance
- Sticks to most commercial floor surfaces including concrete, VCT, linoleum, ceramic tile, quarry tile and laminate flooring
- Create inviting entrances and impress your guests with our attractive carpeted floor mats; Checkered texture and stylish colors complement modern or upscale lobbies and vestibules
- High-performance needlepunched fibers and low-profile surface design trap dirt, debris, sand and liquids to help prevent tracking; mat looks cleaner, longer
- Quick-dry, colorfast fibers resist staining and fading; made from 100% postconsumer recycled content
- No rippled edges to obstruct doors or create tripping hazards; ADA compliant for wheelchairs and walkers
- Tested and Certified by the National Floor Safety Institute (NFSI): when used as part of your floor safety program, high-traction surfaces such as PIG Grippy Mat have been proven to reduce slip-and-fall claims by as much as 90%
- Commercial-grade durability lets you keep mat in place for three to six months depending on your conditions
- Long-lasting carpet surface resists crushing to extend performance life
- Saves you money as a cost-effective replacement for risky and outdated traditional rubber-backed entrance mats and scraper mats
- Clean your floors with mats in place to save time and avoid the labor of dragging heavy mats around
- Grippy Mat won't budge while you work, making it easy to use a vacuum or water extractor for

routine maintenance

- Precut 3' x 10' mat lets you roll out continuous walk-off coverage with no gaps, ripples or overlaps that cause slips and trips
- Cuts easily without fraying or unraveling so you can create custom sizes and shapes; lets you work around beams, turn corners and cover asymmetrical floor layouts
- Mats take on the properties of absorbed liquids
 always take proper precautions when handling saturated absorbents



| ltem# | Description | Dimensions | Weight |
|--------------|-------------|--------------|----------|
| GRP923X10-GY | Gray, | 3' W x 10' L | 4.6 lbs. |
| GRP923X10-BY | Burgundy, | 3' W x 10' L | 4.6 lbs. |
| GRP923X10-BR | Brown, | 3' W x 10' L | 4.6 lbs. |
| GRP923X10-BK | Black, | 3' W x 10' L | 4.6 lbs. |

Metric Equivalent:

| Item# | Description | Dimensions | Weight |
|--------------|-------------|-----------------|--------|
| GRP923X10-GY | Gray, | 91.4cm W x 3m L | 2.1 kg |
| GRP923X10-BY | Burgundy, | 91.4cm W x 3m L | 2.1 kg |
| GRP923X10-BR | Brown, | 91.4cm W x 3m L | 2.1 kg |
| GRP923X10-BK | Black, | 91.4cm W x 3m L | 2.1 kg |

Specifications

| Antimicrobial | No |
|------------------|----------------------------------------------|
| Traffic | Heavy Foot Traffic; Carts & Equipment |
| Backing Material | Adhesive-Backed |
| Indoor/Outdoor | Indoor Use |
| Incinerable | Yes |
| Fluid Absorbed | Water; Grease; Oils |
| Special Feature | Extra Absorbency |
| Dimensions | 3' W x 10' L |
| Mat Weight | Heavyweight |
| Recycled Content | 100% Post-Consumer Recycled Polyester Fabric |
| Absorbency | Up to 2.72 gal. per roll |
| Brand | PIG |

| Category | Grippy® Carpeted Entrance Mat | |
|------------------------------------------------|---------------------------------------------------------------------------|--|
| Core Diameter | 3" | |
| Industry | Grocery/Retail; Restaurant; Institutional Facilities | |
| Perforated | No | |
| Walking Surface | Absorbent Top | |
| Sold as | 1 roll | |
| Weight | 4.6 lbs. | |
| New Pig Patent | Pending | |
| # per Pallet | 44 | |
| Composition | Absorbent - Polyester Adhesive Backing - Proprietary Adhesive Material | |
| UNSPSC | 47131901 | |
| UV Resistant | Yes | |
| Pigalog® Page Number | Page 232 | |
| Metric Equivalent | | |
| Absorbency | Up to 10.3 L per roll | |
| Dimensions | 91.4cm W x 3m L | |
| Weight | 2.1 kg | |
| Technical Information | | |
| Certifications, Approvals and Ratings | | |
| ADA Compliant,NFSI Certified,ANSI B101.1- 2009 | | |
| Technical Documents | | |
| PIG Grippy Carpeted Entrance and Floor Mat | | |
| NFSI Certification | | |
| New Pig Adhesive-Backed Mat Notice | | |
| PIG Adhesive-Backed Mats ADA Compliance | | |
| PIG Grippy® Carpeted Entrance and Floor Mat | | |
| 29 CFR 1910.22(a)(2) | | |
| Disclaimers | | |

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

Color Variation Statement

It is normal for top layer materials to show minor variations in color between production runs. This is particularly true for the grades of materials used in consumable or disposable products such as our adhesive-backed mats. New Pig makes every effort to achieve consistent color, but some variance is possible. Perceived differences in color may also result from mat layout

orientation or uneven traffic wear patterns.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com