

SAFETY DATA SHEET

1. Identification

Product identifier	Mechanix Orange® Citrus	Lotion Hand Cleaner
Other means of identification		
Product code	74090	
Recommended use	Hand cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufactured or sold by:		
Company name	CRC Canada Co.	
Address	2-1246 Lorimar Dr.	
	Mississauga, Ontario L5S 1	R2
	Canada	
Telephone	905-670-2291	
Website	www.crc-canada.ca	
E-mail	Support.CA@crcindustries.c	com
Emergency phone number	24-Hour Emergency	800-424-9300 (Canada)
	(CHEMTREC)	703-527-3887 (International)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2

Label elements



Signal word	Danger
Hazard statement	Causes serious eye damage. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wear eye protection/face protection. Avoid release to the environment.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
undeceth-3, -7		34398-01-1	5 - 10
glycerine		56-81-5	1 - 3
propylene glycol		57-55-6	1 - 3
iodopropynyl butylcarbamate		55406-53-6	< 1
titanium dioxide		13463-67-7	< 1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Prevent product from entering drains.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values			
Components	Туре	Value	
titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Components	Туре	Value	Form
glycerine (CAS 56-81-5) titanium dioxide (CAS	TWA TWA	10 mg/m3 10 mg/m3	Mist.
13463-67-7)		To mg/mo	
Canada. British Columbia	OELs. (Occupational Exposure Limits	s for Chemical Substances, C	ccupational Health and
Safety Regulation 296/97, a	-		_
Components	Туре	Value	Form
glycerine (CAS 56-81-5)	TWA	3 mg/m3	Respirable mist.
		10 mg/m3	Mist.
titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (F	Reg. 217/2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	
titanium dioxide (CAS	TWA	10 mg/m3	
13463-67-7)			
	ontrol of Exposure to Biological or Ch	÷ .	-
Components	Туре	Value	Form
glycerine (CAS 56-81-5)	TWA	10 mg/m3	Mist.
propylene glycol (CAS 57-55-6)	TWA	155 mg/m3	Vapor and aerosol.
57-55-6)		10 mg/m3	Aerosol.
		50 ppm	Vapor and aerosol.
titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Quebec OELs. (M	inistry of Labor - Regulation Respect	ing the Quality of the Work E	nvironment)
Components	Туре	Value	Form
glycerine (CAS 56-81-5)	TWA	10 mg/m3	Mist.
titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
ogical limit values	No biological exposure limits noted f	or the ingredient(s).	
ropriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to mair exposure limits have not been estab eyewash station.	applicable, use process enclosu ntain airborne levels below reco	ires, local exhaust ventilatio mmended exposure limits. I
vidual protection measures Eye/face protection	s, such as personal protective equipn Wear safety glasses with side shield		
Skin protection			
Hand protection	Not normally needed.		
Other	Wear suitable protective clothing.		
Respiratory protection	No personal respiratory protective e	quipment normally required. Pro	ovide adequate ventilation.
Thermal hazards	Not available.		
eral hygiene	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

Appearance	
Physical state	Liquid.
Form	Lotion.
Color	White.
Odor	Citrus.
Odor threshold	Not available.
рН	6 - 7

Percent volatile	83.2 % estimated
Other information	
Viscosity	Not available.
Decomposition temperature	Not available.
Auto-ignition temperature	700 °F (371.1 °C) estimated
Partition coefficient (n-octanol/water)	Not available.
Solubility (water)	Soluble (liquid portion)
Solubility(ies)	
Relative density	1 (air = 1)
Vapor density	Not available.
Vapor pressure	47.5 hPa estimated
Flammability limit - upper (%)	12.6 % estimated
Flammability limit - lower (%)	2.6 % estimated
Upper/lower flammability or exp	
Flammability (solid, gas)	Not available.
Evaporation rate	Not available.
Flash point	> 210 °F (> 98.9 °C) Pensky-Martens Closed Cup
Initial boiling point and boiling range	212 °F (100 °C) estimated
Melting point/freezing point	32 °F (0 °C)

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

•		
Information on likely routes	of exposure	
Inhalation	Prolonged inhalation may be ha	rmful.
Skin contact	No adverse effects due to skin o	contact are expected.
Eye contact	Causes serious eye damage.	
Ingestion	Expected to be a low ingestion I	nazard.
Symptoms related to the physical, chemical and toxicological characteristics	vision. Permanent eye damage	may include stinging, tearing, redness, swelling, and blurred including blindness could result.
Information on toxicological	effects	
Acute toxicity	Not known.	
Components	Species	Test Results
iodopropynyl butylcarbamate (CAS 55406-53-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		

Components	Species	1	Fest Results
propylene glycol (CAS 57-55-6)			
Acute			
Oral			
LD50	Rat	3	0 g/kg
titanium dioxide (CAS 13463-67-7	7)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	>	· 10000 mg/kg
Oral			
LD50	Rat	>	· 10000 mg/kg
* Estimates for product may I	be based on add	itional component data not shown.	
Skin corrosion/irritation		n contact may cause temporary irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	'n		
Canada - Alberta OELs: Irri	tant		
glycerine (CAS 56-81-5) titanium dioxide (CAS 13		Irritant Irritant	
Respiratory sensitization	Not a respirat	ory sensitizer.	
Skin sensitization	This product i	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity			
ACGIH Carcinogens			
titanium dioxide (CAS 13 Canada - Manitoba OELs: c	,	A4 Not classifiable as a	human carcinogen.
titanium dioxide (CAS 13	3463-67-7)	Not classifiable as a hur	man carcinogen.
Reproductive toxicity	This product i	s not expected to cause reproductive or de	evelopmental effects.
Specific target organ toxicity - single exposure	Not classified		
Specific target organ toxicity - repeated exposure	Not classified		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		ure may cause chronic effects.
12. Ecological informatio	n		
Ecotoxicity		tic life with long lasting effects.	
Components	loxio to uquu	Species	Test Results
glycerine (CAS 56-81-5)		Species	Test Nesulis
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout	51000 - 57000 mg/l, 96 hours
	2000	(Oncorhynchus mykiss)	
iodopropynyl butylcarbamate Aquatic	(CAS 55406-53	-6)	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.05 - 0.089 mg/l, 96 hours
propylene glycol (CAS 57-55	-6)		
Aquatic	,		
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas	
			,

Components		Species	Test Results
titanium dioxide (CAS	6 13463-67-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	1000 mg/l, 96 hours
undeceth-3, -7 (CAS	34398-01-1)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1.6 - 2.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	3.2 - 5 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-o	octanol / water (log Kow)
glycerine	-1.76
propylene glycol	-0.92
Bioconcentration facto	r (BCF)
titanium dioxide	352
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal of waste from residues / unused products	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations Stockholm Convention

Not applicable.

Rotterdam Convention Not applicable. Kyoto protocol Not applicable. Montreal Protocol Not applicable. Basel Convention Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	03-09-2017
Version #	01
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Canada Co